

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) Date of issue: 20-2-2020 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Carclin Degreaser Multi

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

: Cleaning/washing agents and additives Function or use category

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Synerlogic B.V. Graafsingel 22

6921 RT Duiven - Nederland

T+31(0)26-3186700

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD Msida	+356 2545 6504	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Mixtures/Substances: SDS EU 2015: According to Regulation (EU) 2015/830 (REACH Annex II)

Corrosive to metals, Category 1 H290 Skin corrosion/irritation, Category 1 H314 Serious eye damage/eye irritation, Category 1 H318

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

May be corrosive to metals. Causes severe skin burns and eye damage. Causes serious eye damage.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]Extra labelling to displayExtra classification(s) to display

Hazard pictograms (CLP)



GHS05

Signal word (CLP) Danger

Sodium metasilicate pentahydrate; Tetrasodium ethylene diamine tetraacetate; C9-11 Hazardous ingredients

Alcoholethoxylaat; sodium hydroxide; caustic soda

20-2-2020 (Version: 1.0) EN (English) 1/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Hazard statements (CLP) : H290 - May be corrosive to metals.

H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) : P260 - Do not breathe vapours, gas, mist, fume, spray, dust.

P280 - Wear protective clothing, eye protection, face protection.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water or shower.

 ${\tt P305+P351+P338-IF\ IN\ EYES: Rinse\ cautiously\ with\ water\ for\ several\ minutes.\ Remove\ contact}$

lenses, if present and easy to do. Continue rinsing.

 ${\sf P501-Dispose}\ of\ contents\ and\ container\ to\ hazardous\ or\ special\ was te\ collection\ point, in$

accordance with local, regional, national and/or international regulation.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
C9-11 Alcoholethoxylaat	(CAS-No.) 68439-46-3 (REACH-no) Polymer	5 - 10	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Tetrasodium ethylene diamine tetraacetate	(CAS-No.) 64-02-8 (EC-No.) 200-573-9 (EC Index-No.) 607-428-00-2 (REACH-no) 01-2119486762-27	<5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Eye Dam. 1, H318 STOT RE 2, H373
Sodium metasilicate pentahydrate	(CAS-No.) 10213-79-3 (EC-No.) 229-912-9 (REACH-no) 01-2119449811-37	<5	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
sodium hydroxide; caustic soda	(CAS-No.) 1310-73-2 (EC-No.) 215-185-5 (EC Index-No.) 011-002-00-6 (REACH-no) 01-2119457892-27	<5	Skin Corr. 1A, H314
Sodium nitrite	(CAS-No.) 7632-00-0 (EC-No.) 231-555-9 (REACH-no) 01-2119471836-27	< 5	Ox. Sol. 2, H272 Acute Tox. 3 (Oral), H301 Eye Irrit. 2, H319 Aquatic Acute 1, H400

Specific concentration limits:

Name	Product identifier	Specific concentration limits
sodium hydroxide; caustic soda	(CAS-No.) 1310-73-2	(0,5 = <c 2)="" 2,="" <="" h315<="" irrit.="" skin="" td=""></c>
	(EC-No.) 215-185-5	(0,5 = <c 2)="" 2,="" <="" eye="" h319<="" irrit.="" td=""></c>
	(EC Index-No.) 011-002-00-6	(2 = <c 1b,="" 5)="" <="" corr.="" h314<="" skin="" td=""></c>
	(REACH-no) 01-2119457892-27	(5 = <c 100)="" 1a,="" <="" corr.="" h314<="" skin="" td=""></c>

Full text of H-statements: see section 16

20-2-2020 (Version: 1.0) EN (English) 2/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a physician immediately. Get medical advice/attention if you feel unwell. IF exposed or concerned: Get medical advice/attention. Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Wash skin with plenty of water. Take off contaminated clothing.

Take off immediately all contaminated clothing. Call a physician immediately. If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical

advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution. Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately. Call a poison center or a

doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe

dust/fume/gas/mist/vapours/spray. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe

dust/fume/gas/mist/vapours/spray. Wear personal protective equipment. Avoid breathing

dust/fume/gas/mist/vapours/spray.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in corrosive resistant container with a resistant inner liner. Keep only in original container.

Store locked up. Store in a well-ventilated place. Keep cool.

Incompatible materials : Metals.

20-2-2020 (Version: 1.0) EN (English) 3/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Sodium nitrite (7632-00-0)	Sodium nitrite (7632-00-0)		
DNEL/DMEL (Workers)			
Acute - systemic effects, inhalation	2 mg/m³		
Long-term - systemic effects, inhalation	2 mg/m ³		
PNEC (Water)			
PNEC aqua (freshwater)	0,0054 mg/l		
PNEC aqua (marine water)	0,00616 mg/l		
PNEC (Sediment)			
PNEC sediment (freshwater)	0,0195 mg/kg dwt		
PNEC sediment (marine water)	0,223 mg/kg dwt		
PNEC (Soil)	PNEC (Soil)		
PNEC soil	0,000733 mg/kg dwt		
Tetrasodium ethylene diamine tetraacetate (64	4-02-8)		
DNEL/DMEL (Workers)			
Acute - local effects, inhalation	2,8 mg/m³		
DNEL/DMEL (General population)			
Acute - systemic effects, inhalation	1,7		
Long-term - systemic effects,oral	28 mg/kg bodyweight/day		
PNEC (Water)			
PNEC aqua (freshwater)	2,8 mg/l		
PNEC aqua (marine water)	0,28 mg/l		
PNEC (Sediment)	PNEC (Sediment)		
PNEC sediment (freshwater)	0,95 mg/kg dwt		
PNEC (STP)			
PNEC sewage treatment plant	57 mg/l		

20-2-2020 (Version: 1.0) EN (English) 4/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

odium hydroxide; caustic soda (1310-73-2)		
DNEL/DMEL (Workers)		
Long-term - local effects, inhalation	1 mg/m³	
DNEL/DMEL (General population)		
Long-term - local effects, inhalation	1 mg/m³	
Sodium xylenesulphonate (1300-72-7)		
DNEL/DMEL (Workers)		
Acute - systemic effects, dermal	≈ mg/kg bodyweight/day	
Long-term - systemic effects, dermal	7,6 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	53,6 mg/m³	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	3,8 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	13,2 mg/m³	
Long-term - systemic effects, dermal	3,8 mg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	0,23 mg/l	
PNEC (STP)		
PNEC sewage treatment plant	100 mg/l	
2 Evnosure controls	1	

8.2. Exposure controls

Appropriate engineering controls:

 $\label{thm:equiv} \textbf{Ensure good ventilation of the work station.}$

Personal protective equipment:

Protective clothing. Safety glasses. Gloves.

Materials for protective clothing:					
Condition		Material		Standard	
Excellent resistance:		Synthetic material		EN 13034	
Hand protection:					
protective gloves					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Neoprene rubber (HNBR)	6 (> 480 minutes)	0,25 mm		EN ISO 374
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	> 0,31 mm		EN ISO 374

20-2-2020 (Version: 1.0) EN (English) 5/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Eye protection:

Safety glasses

Туре	Use	Characteristics	Standard
Safety glasses	Dust, Fine dust, Droplet	With side shields	EN 166

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Device	Filter type	Condition	Standard
Reusable half mask	Type P2, Type P3	Protection for Solid particles	EN 149

Personal protective equipment symbol(s):







Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: LiquidColour: dark red.Odour: characteristic.Odour threshold: No data available

pH : 11,6

Relative evaporation rate (butylacetate=1) No data available Melting point Not applicable Freezing point No data available **Boiling point** No data available Flash point No data available Auto-ignition temperature No data available Decomposition temperature No data available Flammability (solid, gas) Not applicable 23 hPa Vapour pressure

vapoui pressure . 25 fira

Relative vapour density at 20 $^{\circ}\text{C}$: No data available

Relative density : 1,09

Solubility : completely miscible.

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

20-2-2020 (Version: 1.0) EN (English) 6/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

motale

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Sodium metasilicate pentahydrate (10213-79-3)		
LD50 oral rat	1152 - 1349 mg/kg	
LD50 dermal rat	> 5000 mg/kg	
LC50 inhalation rat (mg/l)	> 2,06 mg/l/4h	

C9-11 Alcoholethoxylaat (68439-46-3)	
LD50 oral rat	300 - 2000 mg/kg
LD50 dermal	2000 - 5000 mg/kg

Sodium nitrite (7632-00-0)	
LD50 oral rat	180 mg/kg

Tetrasodium ethylene diamine tetraacetate (64-02-8)			
LD50 oral		1780 mg/kg bodyweight	
Skin corrosion/irritation	:	Causes severe skin burns and eye damage.	
		pH: 11,6	
Serious eye damage/irritation	:	Causes serious eye damage.	
		pH: 11,6	
Respiratory or skin sensitisation	:	Not classified	
Germ cell mutagenicity	:	Not classified	
Carcinogenicity	:	Not classified	
Reproductive toxicity	:	Not classified	
STOT-single exposure	:	Not classified	
STOT-repeated exposure	:	Not classified	

20-2-2020 (Version: 1.0) EN (English) 7/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

Acute aquatic toxicity : Not classified Chronic aquatic toxicity : Not classified

Sodium metasilicate pentahydrate (10213-79-3)	
LC50 fish 1	210 mg/l (Brachydanio Rerio)
EC50 Daphnia 1	1700 mg/l (Daphnia Magna)

C9-11 Alcoholethoxylaat (68439-46-3)	
LC50 fish 1	1 - 10 mg/l
EC50 Daphnia 1	1 - 10 mg/l (Daphnia magna)
EC50 72h algae (1)	1 - 10 mg/l (Skeletonema costatum)

Sodium nitrite (7632-00-0)	
LC50 fish 1	0,54 - 26,3 mg/l (Salmo gairdneri)
LC50 other aquatic organisms 1	4,93 mg/l
EC50 Daphnia 1	15,4 mg/l
EC50 other aquatic organisms 1	421 mg/l (Protozoa)
EC50 72h algae (1)	> 100 mg/l (Scenedesmus subspicatus)

Tetrasodium ethylene diamine tetraacetate (64-02-8)	
LC50 fish 1	> 121 mg/l
EC50 other aquatic organisms 1	625 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	2,77 mg/l IC50 algea (72 h) mg/l

sodium hydroxide; caustic soda (1310-73-2)	
EC50 Daphnia 1	40,4 mg/l

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

Tetrasodium ethylene diamine tetraacetate (64-02-8)	
Log Pow	-13,17

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

20-2-2020 (Version: 1.0) EN (English) 8/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of contents/container in accordance with licensed collector's sorting instructions. Waste treatment methods

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR)

14.2. UN proper shipping name

Proper Shipping Name (ADR) CAUSTIC ALKALI LIQUID, N.O.S.

Transport document description (ADR) UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (SODIUMHYDROXIDE, DISODIUMTRIOXOSILICATE), 8, II,

UN 1719

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) 8 Danger labels (ADR) 8





14.4. Packing group

Packing group (ADR) Ш :

14.5. Environmental hazards

Dangerous for the environment No :

Other information No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) C5 Special provisions (ADR) 274 Limited quantities (ADR) 1l Excepted quantities (ADR) E2

Packing instructions (ADR) P001, IBC02 Mixed packing provisions (ADR) MP15 Portable tank and bulk container instructions (ADR) T11 Portable tank and bulk container special provisions

(ADR)

TP2, TP27

Tank code (ADR) L4BN Vehicle for tank carriage ΑT Transport category (ADR) 2 Hazard identification number (Kemler No.) 80

Orange plates

80 1719

Tunnel restriction code (ADR) Ε EAC code 2R

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

20-2-2020 (Version: 1.0) EN (English) 9/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Substance(s) are not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC.

15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) 2, Significantly hazardous to water (Classification according to AwSV,

Annex 1)

12th Ordinance Implementing the Federal Immission :

Control Act - 12.BImSchV

Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Netherlands

Waterbezwaarlijkheid : 11 - Weinig schadelijk voor in het water levende organismen

Saneringsinspanningen : B - Lozing minimaliseren; toepassen van best uitvoerbare technieken

SZW-lijst van kankerverwekkende stoffen : None of the components are listed SZW-lijst van mutagene stoffen : None of the components are listed NIET-limitatieve lijst van voor de voortplanting giftige : None of the components are listed

ataffan Daretraadiaa

stoffen – Borstvoeding

None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige :

stoffen – Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting giftige :

stoffen – Ontwikkeling

None of the components are listed

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration

20-2-2020 (Version: 1.0) EN (English) 10/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
vPvB	Very Persistent and Very Bioaccumulative

Data sources

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Full text of H- and EUH-statements:	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Met. Corr. 1	Corrosive to metals, Category 1
Ox. Sol. 2	Oxidising Solids, Category 2
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

20-2-2020 (Version: 1.0) EN (English) 11/11