

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
 Product name : Carlin Shampoo Pro
 UFI : MC01-H06A-U000-46JR

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use
 Function or use category : Cleaning/washing agents and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Synerlogic B.V.
 Graafsingel 18-22
 6921 RT Duiven
 Nederland
 T +31 (0) 26 - 3186700
PNSHEQ@synerlogic.nl

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD 2090 Msida	+356 2545 6508	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315
 Serious eye damage/eye irritation, Category 1 H318
 Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes skin irritation. Causes serious eye damage.

Carclin Shampoo Pro

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

Signal word (CLP) :

Danger

Contains :

Tetrasodium ethylene diamine tetraacetate, Alcohols, C12-14, ethoxylated, sulfates, sodium salts, sodium hydroxide; caustic soda, Benzenesulphonic acid, 4-C10-13-sec-alkyl derivs.

Hazard statements (CLP) :

H315 - Causes skin irritation.

H318 - Causes serious eye damage.

Precautionary statements (CLP) :

P264 - Wash hands, forearms and face thoroughly after handling.

P280 - Wear protective clothing/eye protection/face protection.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a doctor.

2.3. Other hazards

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Tetrasodium ethylene diamine tetraacetate	CAS-No.: 64-02-8 EC-No.: 200-573-9 EC Index-No.: 607-428-00-2 REACH-no: 01-2119486762-27	5 – 10	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Eye Dam. 1, H318 STOT RE 2, H373
Sodium-p-cumenesulphonate	CAS-No.: 15763-76-5 EC-No.: 239-854-6 REACH-no: 01-2119489411-37	5 – 10	Eye Irrit. 2, H319
Benzenesulphonic acid, 4-C10-13-sec-alkyl derivs.	CAS-No.: 85536-14-7 EC-No.: 287-494-3 REACH-no: 01-2119490234-40	5 – 10	Acute Tox. 4 (Oral), H302 Skin Corr. 1C, H314 Eye Dam. 1, H318 Aquatic Chronic 3, H412
sodium hydroxide; caustic soda	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892-27	< 5	Skin Corr. 1A, H314
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	CAS-No.: 68585-34-2 EC-No.: 500-223-8 REACH-no: 01-2119488639-16	< 5	Skin Irrit. 2, H315 Eye Dam. 1, H318

Carclin Shampoo Pro

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
propan-2-ol; isopropyl alcohol; isopropanol	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558-25	< 5	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

Specific concentration limits:

Name	Product identifier	Specific concentration limits
sodium hydroxide; caustic soda	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892-27	(0.5 ≤C < 2) Skin Irrit. 2, H315 (0.5 ≤C < 2) Eye Irrit. 2, H319 (2 ≤C < 5) Skin Corr. 1B, H314 (5 ≤C ≤ 100) Skin Corr. 1A, H314

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Call a physician immediately.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: Serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
------------------------------	--

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	: Toxic fumes may be released.
--	--------------------------------

5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes.
----------------------	--

Carclin Shampoo Pro

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

Tetrasodium ethylene diamine tetraacetate (64-02-8)

DNEL/DMEL (Workers)	
Acute - local effects, inhalation	2.8 mg/m ³
DNEL/DMEL (General population)	
Acute - systemic effects, inhalation	1.7
Long-term - systemic effects, oral	28 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	2.8 mg/l
PNEC aqua (marine water)	0.28 mg/l

Carclin Shampoo Pro

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Tetrasodium ethylene diamine tetraacetate (64-02-8)	
PNEC (Sediment)	
PNEC sediment (freshwater)	0.95 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	57 mg/l
sodium hydroxide; caustic soda (1310-73-2)	
DNEL/DMEL (Workers)	
Long-term - local effects, inhalation	1 mg/m ³
DNEL/DMEL (General population)	
Long-term - local effects, inhalation	1 mg/m ³
Sodium-p-cumenesulphonate (15763-76-5)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	7.6 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	53.6 mg/m ³
DNEL/DMEL (General population)	
Long-term - systemic effects, inhalation	13.2 mg/m ³
Long-term - systemic effects, dermal	3.8 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0.23 mg/l
PNEC aqua (intermittent, freshwater)	2.3 mg/l
PNEC (STP)	
PNEC sewage treatment plant	100 mg/l
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
DNEL/DMEL (Workers)	
Acute - local effects, inhalation	500 mg/m ³
Long-term - systemic effects, dermal	888 mg/kg bodyweight/day
DNEL/DMEL (General population)	
Long-term - systemic effects, oral	26 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	89 mg/m ³
Long-term - systemic effects, dermal	319 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	140.9 mg/l
PNEC aqua (marine water)	140.9 mg/l
PNEC aqua (intermittent, freshwater)	140.9 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	552 mg/kg dwt
PNEC sediment (marine water)	552 mg/kg dwt
PNEC (Soil)	
PNEC soil	28 mg/kg dwt

Carclin Shampoo Pro

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

PNEC (STP)

PNEC sewage treatment plant	2251 mg/l
-----------------------------	-----------

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Protective clothing.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

Eye protection

Type	Field of application	Characteristics	Standard
Safety glasses	Dust, Fine dust, Droplet	With side shields	EN 166

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

Hand protection

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Neoprene rubber (HNBR)	6 (> 480 minutes)	0,25 mm		EN ISO 374
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	> 0,31 mm		EN ISO 374
Disposable gloves	Polyvinylchloride (PVC)	6 (> 480 minutes)	0,2 mm		EN ISO 374

Other skin protection

Materials for protective clothing

Condition	Material	Standard
Good resistance:	Synthetic material	EN 13034

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Carclin Shampoo Pro

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Respiratory protection			
Device	Filter type	Condition	Standard
Reusable half mask	Type P2, Type P3	Protection for Solid particles	EN 149

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: light yellow.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: > 100 °C
Flammability	: Not applicable
Explosive limits	: Not available
Lower explosive limit (LEL)	: Not available
Upper explosive limit (UEL)	: Not available
Flash point	: > 100 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: 12
Viscosity, kinematic	: Not available
Solubility	: completely miscible.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: 23 hPa
Vapour pressure at 50 °C	: Not available
Density	: 1.085 g/cm ³
Relative density	: Not available
Relative vapour density at 20 °C	: Not available
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

Carclin Shampoo Pro

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Tetrasodium ethylene diamine tetraacetate (64-02-8)

LD50 oral	1780 mg/kg bodyweight
-----------	-----------------------

Sodium-p-cumenesulphonate (15763-76-5)

LD50 oral rat	> 7000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

LD50 oral rat	5840 mg/kg
LD50 dermal rabbit	> 12800 mg/kg
LC50 Inhalation - Rat	72.6 mg/l/4h

Benzenesulphonic acid, 4-C10-13-sec-alkyl derivs. (85536-14-7)

LD50 oral	1470 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg

Skin corrosion/irritation : Causes skin irritation.
pH: 12
Serious eye damage/irritation : Causes serious eye damage.
pH: 12
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified

Carclin Shampoo Pro

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

STOT-single exposure : May cause drowsiness or dizziness.

STOT-repeated exposure : Not classified

Tetrasodium ethylene diamine tetraacetate (64-02-8)

STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

Tetrasodium ethylene diamine tetraacetate (64-02-8)

LC50 - Fish [1] : > 121 mg/l

EC50 - Other aquatic organisms [1] : 625 mg/l waterflea

EC50 - Other aquatic organisms [2] : 2.77 mg/l

sodium hydroxide; caustic soda (1310-73-2)

EC50 - Crustacea [1] : 40.4 mg/l

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

LC50 - Fish [1] : 1400 mg/kg (Lepomis Macrochirus)

EC50 - Crustacea [1] : 2285 mg/l

Benzenesulphonic acid, 4-C10-13-sec-alkyl derivs. (85536-14-7)

LC50 - Fish [1] : 1 mg/l

EC50 - Other aquatic organisms [1] : 1 mg/l waterflea

EC50 - Other aquatic organisms [2] : 10 mg/l

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

Tetrasodium ethylene diamine tetraacetate (64-02-8)

Partition coefficient n-octanol/water (Log Pow) : -0.43

Benzenesulphonic acid, 4-C10-13-sec-alkyl derivs. (85536-14-7)

Partition coefficient n-octanol/water (Log Pow) : 2

12.4. Mobility in soil

No additional information available

Carclin Shampoo Pro

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

UN-No. (ADR) : UN 1719
UN-No. (IMDG) : UN 1719
UN-No. (IATA) : UN 1719
UN-No. (ADN) : UN 1719
UN-No. (RID) : UN 1719

14.2. UN proper shipping name

Proper Shipping Name (ADR) : CAUSTIC ALKALI LIQUID, N.O.S.
Proper Shipping Name (IMDG) : CAUSTIC ALKALI LIQUID, N.O.S.
Proper Shipping Name (IATA) : Caustic alkali liquid, n.o.s.
Proper Shipping Name (ADN) : CAUSTIC ALKALI LIQUID, N.O.S.
Proper Shipping Name (RID) : CAUSTIC ALKALI LIQUID, N.O.S.
Transport document description (ADR) : UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (Sodium hydroxide), 8, II, (E)
Transport document description (IMDG) : UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (Sodium hydroxide), 8, II
Transport document description (IATA) : UN 1719 Caustic alkali liquid, n.o.s. (Sodium hydroxide), 8, II
Transport document description (ADN) : UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (Sodium hydroxide), 8, II
Transport document description (RID) : UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (Sodium hydroxide), 8, II

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8
Danger labels (ADR) : 8



IMDG

Transport hazard class(es) (IMDG) : 8
Danger labels (IMDG) : 8



Carclin Shampoo Pro

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

IATA

Transport hazard class(es) (IATA) : 8
Danger labels (IATA) : 8



ADN

Transport hazard class(es) (ADN) : 8
Danger labels (ADN) : 8



RID

Transport hazard class(es) (RID) : 8
Danger labels (RID) : 8



14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

14.5. Environmental hazards

Dangerous for the environment : No
Marine pollutant : No
Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : C5
Special provisions (ADR) : 274
Limited quantities (ADR) : 1I
Excepted quantities (ADR) : E2
Packing instructions (ADR) : P001, IBC02
Mixed packing provisions (ADR) : MP15
Portable tank and bulk container instructions (ADR) : T11
Portable tank and bulk container special provisions (ADR) : TP2, TP27
Tank code (ADR) : L4BN
Vehicle for tank carriage : AT
Transport category (ADR) : 2
Hazard identification number (Kemler No.) : 80
Orange plates :



Carclin Shampoo Pro

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Tunnel restriction code (ADR) : E
EAC code : 2R

Transport by sea

Special provisions (IMDG) : 274
Packing instructions (IMDG) : P001
IBC packing instructions (IMDG) : IBC02
Tank instructions (IMDG) : T11
Tank special provisions (IMDG) : TP2, TP27
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-B
Stowage category (IMDG) : A
Segregation (IMDG) : SG22, SG35
Properties and observations (IMDG) : Reacts violently with acids. Reacts with ammonium salts, evolving ammonia gas. Causes burns to skin, eyes and mucous membranes.

Air transport

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y840
PCA limited quantity max net quantity (IATA) : 0.5L
PCA packing instructions (IATA) : 851
PCA max net quantity (IATA) : 1L
CAO packing instructions (IATA) : 855
CAO max net quantity (IATA) : 30L
Special provisions (IATA) : A3, A803
ERG code (IATA) : 8L

Inland waterway transport

Classification code (ADN) : C5
Special provisions (ADN) : 274
Limited quantities (ADN) : 1 L
Excepted quantities (ADN) : E2
Carriage permitted (ADN) : T
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : C5
Special provisions (RID) : 274
Limited quantities (RID) : 1L
Excepted quantities (RID) : E2
Packing instructions (RID) : P001, IBC02
Mixed packing provisions (RID) : MP15
Portable tank and bulk container instructions (RID) : T11
Portable tank and bulk container special provisions (RID) : TP2, TP27
Tank codes for RID tanks (RID) : L4BN
Transport category (RID) : 2
Colis express (express parcels) (RID) : CE6
Hazard identification number (RID) : 80

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Carclin Shampoo Pro

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

15.1.2. National regulations

France

Occupational diseases

Code	Description
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

Germany

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : B(4) - low hazard for aquatic organisms

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : None of the components are listed

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Switzerland

Storage class (LK) : LK 8 - Corrosive materials

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes

Section	Changed item	Change	Comments
	Issue date	Added	
1.1	Product group	Added	

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
IATA	International Air Transport Association
PBT	Persistent Bioaccumulative Toxic

Carclin Shampoo Pro

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Abbreviations and acronyms:

REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Full text of H- and EUH-statements:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects.
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.