

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) Issue date: 1/11/2022 Revision date: 1/11/2022 Supersedes version of: 6/15/2021 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Carclin Degreaser Pro UFI : 6EW0-90QU-E005-NKRJ

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Synerlogic B.V. Graafsingel 18-22 6921 RT Duiven Nederland T+31 (0) 26 - 3186700

PNSHEQ@synerlogic.nl

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD 2090 Msida	+356 2545 6508	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 2 Full text of H- and EUH-statements: see section 16 H319

Adverse physicochemical, human health and environmental effects

Causes serious eye irritation.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

Signal word (CLP) : Warning

Hazard statements (CLP) : H319 - Causes serious eye irritation.

Precautionary statements (CLP) : P264 - Wash hands, forearms and face thoroughly after handling.

P280 - Wear protective gloves, protective clothing, face protection, eye protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sodium-p-cumenesulphonate	CAS-No.: 15763-76-5 EC-No.: 239-854-6 REACH-no: 01-2119489411-37	< 5	Eye Irrit. 2, H319
DECETH-4	CAS-No.: 26183-52-8 REACH-no: Polymer	< 5	Eye Irrit. 2, H319
Sodium carbonate	CAS-No.: 497-19-8 EC-No.: 207-838-8 EC Index-No.: 011-005-00-2 REACH-no: 01-2119485498-19	< 5	Eye Irrit. 2, H319
Butoxydiglycol	CAS-No.: 112-34-5 EC-No.: 203-961-6 EC Index-No.: 603-096-00-8 REACH-no: 01-2119475104-44	< 5	Eye Irrit. 2, H319
Amine, C12-C14 alkyl, ethoxylated	CAS-No.: 61791-14-8 REACH-no: Polymer	< 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Caprylic acid	CAS-No.: 124-07-2 EC-No.: 204-677-5 EC Index-No.: 607-708-00-4 REACH-no: 01-2119552491-41	< 5	Skin Corr. 1C, H314 Aquatic Chronic 3, H412

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
Sodium carbonate	CAS-No.: 497-19-8 EC-No.: 207-838-8 EC Index-No.: 011-005-00-2 REACH-no: 01-2119485498-19	(5 ≤C < 100) STOT SE 3, H335

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse eyes with water as a precaution. Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact : Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer

to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

1/11/2022 (Revision date) EN (English) 3/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal

protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Butoxydiglycol (112-34-5)	
Netherlands - Occupational Exposure Limits	
MAC-TGG (OEL TWA)	50 mg/m ³
MAC-15 (OEL STEL)	100 mg/m³

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses	Fine dust, Dust, Droplet	With side shields	EN 166

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Neoprene rubber (HNBR)	6 (> 480 minutes)	0,25 mm		EN ISO 374
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	> 0,31 mm		EN ISO 374

Other skin protection Materials for protective clothing		
Condition	Material	Standard
Good resistance:	Synthetic material	EN 13034

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Respiratory protection			
Device	Filter type	Condition	Standard
Reusable half mask	Type P2, Type P3	Protection for Solid particles, Protection for Liquid particles	EN 149

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: LiquidColour: brown.Odour: characteristic.Odour threshold: Not availableMelting point: Not applicableFreezing point: Not available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

: 100 °C **Boiling point** Flammability : Not applicable **Explosive limits** : Not available Lower explosive limit (LEL) : Not available Upper explosive limit (UEL) : Not available Flash point : > 100 °C Auto-ignition temperature : Not available Decomposition temperature : Not available : Not available

pH solution : 10

Viscosity, kinematic : Not available
Solubility : completely miscible.

: Not available Partition coefficient n-octanol/water (Log Kow) 23 hPa Vapour pressure Vapour pressure at 50 °C : Not available Density : 1.08 g/cm³ : Not available Relative density : Not available Relative vapour density at 20 °C Particle size : Not applicable Particle size distribution : Not applicable Particle shape : Not applicable : Not applicable Particle aspect ratio Particle aggregation state : Not applicable : Not applicable Particle agglomeration state Particle specific surface area : Not applicable Particle dustiness : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. \\

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Butoxydiglycol (112-34-5)		
LD50 oral	5660 mg/kg bodyweight	
LD50 dermal	2764 mg/kg bodyweight	

LC50 Inhalation - Rat (Dust/Mist) > 196 mg/l

Sodium carbonate (497-19-8)

 LD50 oral
 4090 mg/kg bodyweight

 LD50 dermal
 > 2000 mg/kg bodyweight

 LC50 Inhalation - Rat (Dust/Mist)
 2300 mg/l

Sodium-p-cumenesulphonate (15763-76-5)

LD50 oral rat > 7000 mg/kg

LD50 dermal rabbit > 2000 mg/kg

Caprylic acid (124-07-2)

 LD50 oral
 > 2000 mg/kg bodyweight

 LC50 Inhalation - Rat (Dust/Mist)
 162 mg/l

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified
Aspiration hazard : Not classified

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects

in the environment.

Hazardous to the aquatic environment, short-term $% \left(\mathbf{r}\right) =\left(\mathbf{r}\right)$

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

(chronic)

: Not classified

Butoxydiglycol (112-34-5)

LC50 - Fish [1]	1300 mg/l
EC50 - Other aquatic organisms [1]	> 1000 mg/l waterflea

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Butoxydiglycol (112-34-5)	
EC50 - Other aquatic organisms [2]	> 100 mg/l
Sodium carbonate (497-19-8)	
LC50 - Fish [1]	300 mg/l
EC50 - Other aquatic organisms [1]	265 mg/l waterflea
Caprylic acid (124-07-2)	
LC50 - Fish [1]	22 mg/l
EC50 - Other aquatic organisms [2]	31 mg/l

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

Butoxydiglycol (112-34-5)		
Partition coefficient n-octanol/water (Log Pow)	0.56	
Sodium carbonate (497-19-8)		
Partition coefficient n-octanol/water (Log Pow)	-6.19	
Caprylic acid (124-07-2)		
Partition coefficient n-octanol/water (Log Pow)	3.05	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR

14.1. UN number or ID number

UN-No. (ADR) : UN 1719

14.2. UN proper shipping name

Proper Shipping Name (ADR) : CAUSTIC ALKALI LIQUID, N.O.S.

1/11/2022 (Revision date) EN (English) 8/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Transport document description (ADR) : UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (DECETH-4; Butoxydiglycol), 8, III, (E)

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8
Danger labels (ADR) : 8

:



14.4. Packing group

Packing group (ADR) : III

14.5. Environmental hazards

Dangerous for the environment : No

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR): C5Special provisions (ADR): 274Limited quantities (ADR): 51Excepted quantities (ADR): E1

Packing instructions (ADR) : P001, IBC03, R001

Mixed packing provisions (ADR) : MP19

Portable tank and bulk container instructions (ADR) : T7

Portable tank and bulk container special provisions : TP1, TP28

(ADR)

Tank code (ADR) : L4BN
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Hazard identification number (Kemler No.) : 80

Orange plates :

80 1719

Tunnel restriction code (ADR) : E
EAC code : 2R

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list \geq 0,1 % / SCL

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

15.1.2. National regulations

Germany

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : B(3) - hazardous for aquatic organisms SZW-lijst van kankerverwekkende stoffen : None of the components are listed SZW-lijst van mutagene stoffen : None of the components are listed SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : None of the components are listed SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Switzerland

Storage class (LK) : LK 8 - Corrosive materials

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes				
Section	Changed item	Change	Comments	
	Revision date	Added		
	Supersedes version of	Modified		
3	Composition/information on ingredients	Modified		

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
EC50	Median effective concentration	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
PBT	Persistent Bioaccumulative Toxic	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
vPvB	Very Persistent and Very Bioaccumulative	

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
Н335	May cause respiratory irritation.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.