

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture  
 Product name : Carlin Premax Multi  
 UFI : D9U0-N0FW-R00T-325X

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use  
 Function or use category : Cleaning/washing agents and additives

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

Synerlogic B.V.  
 Graafsingel 18-22  
 6921 RT Duiven  
 Nederland  
 T +31 (0) 26 - 3186700  
[PNSHEQ@synerlogic.nl](mailto:PNSHEQ@synerlogic.nl)

### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD 2090 Msida	+356 2545 6508	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315  
 Serious eye damage/eye irritation, Category 1 H318  
 Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Causes skin irritation. Causes serious eye damage.

# Carclin Premax Multi

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

Signal word (CLP) :

Danger

Contains :

Tetrasodium ethylene diamine tetraacetate, C9-11 Alcoholethoxylaat, Potassium hydroxide

Hazard statements (CLP) :

H315 - Causes skin irritation.

H318 - Causes serious eye damage.

Precautionary statements (CLP) :

P280 - Wear protective gloves, protective clothing, face protection, eye protection.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
C9-11 Alcoholethoxylaat	CAS-No.: 68439-46-3 REACH-no: Polymer	< 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Sodium xylenesulphonate	CAS-No.: 1300-72-7 EC-No.: 215-090-9 REACH-no: 01-2119513350-56	< 5	Eye Irrit. 2, H319
Tetrasodium ethylene diamine tetraacetate	CAS-No.: 64-02-8 EC-No.: 200-573-9 EC Index-No.: 607-428-00-2 REACH-no: 01-2119486762-27	< 5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Eye Dam. 1, H318 STOT RE 2, H373
Potassium hydroxide	CAS-No.: 1310-58-3 EC-No.: 215-181-3 EC Index-No.: 019-002-00-8 REACH-no: 01-2119487136-33	< 5	Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314 Eye Dam. 1, H318 Met. Corr. 1, H290
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	EC-No.: 931-292-6 REACH-no: 01-2119490061-47	< 5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 2, H411

# Carclin Premax Multi

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

### Specific concentration limits:

Name	Product identifier	Specific concentration limits
Potassium hydroxide	CAS-No.: 1310-58-3 EC-No.: 215-181-3 EC Index-No.: 019-002-00-8 REACH-no: 01-2119487136-33	( 0.5 ≤C < 2) Eye Irrit. 2, H319 ( 0.5 ≤C < 2) Skin Irrit. 2, H315 ( 2 ≤C < 5) Skin Corr. 1B, H314 ( 5 ≤C < 100) Skin Corr. 1A, H314

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Call a physician immediately.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: Serious damage to eyes.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
------------------------------	--

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	: Toxic fumes may be released.
--	--------------------------------

### 5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	--

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes.
----------------------	--

#### 6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	---

### 6.2. Environmental precautions

Avoid release to the environment.

# Carclin Premax Multi

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.  
Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.  
Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

No additional information available

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

Ureum (57-13-6)	
DNEL/DMEL (Workers)	
Acute - systemic effects, dermal	580 mg/kg bodyweight/day
Acute - systemic effects, inhalation	292 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	580 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	292 mg/m <sup>3</sup>
PNEC (Water)	
PNEC aqua (freshwater)	0.047 mg/l
PNEC aqua (marine water)	0.047 mg/l
Tetrasodium ethylene diamine tetraacetate (64-02-8)	
DNEL/DMEL (Workers)	
Acute - local effects, inhalation	2.8 mg/m <sup>3</sup>

# Carclin Premax Multi

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

### Tetrasodium ethylene diamine tetraacetate (64-02-8)

#### DNEL/DMEL (General population)

Acute - systemic effects, inhalation	1.7
Long-term - systemic effects, oral	28 mg/kg bodyweight/day

#### PNEC (Water)

PNEC aqua (freshwater)	2.8 mg/l
PNEC aqua (marine water)	0.28 mg/l

#### PNEC (Sediment)

PNEC sediment (freshwater)	0.95 mg/kg dwt
----------------------------	----------------

#### PNEC (STP)

PNEC sewage treatment plant	57 mg/l
-----------------------------	---------

### Sodium xylenesulphonate (1300-72-7)

#### DNEL/DMEL (Workers)

Long-term - systemic effects, dermal	7.6 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	53.6 mg/m <sup>3</sup>

#### DNEL/DMEL (General population)

Long-term - systemic effects, oral	3.8 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	13.2 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	3.8 mg/kg bodyweight/day

#### PNEC (Water)

PNEC aqua (freshwater)	0.23 mg/l
------------------------	-----------

#### PNEC (STP)

PNEC sewage treatment plant	100 mg/l
-----------------------------	----------

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

##### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

##### Personal protective equipment symbol(s):



##### 8.2.2.1. Eye and face protection

##### Eye protection:

Safety glasses

# Carclin Premax Multi

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Eye protection			
Type	Field of application	Characteristics	Standard
Safety glasses	Fine dust, Dust, Droplet	With side shields	EN 166

### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

protective gloves

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Neoprene rubber (HNBR)	6 (> 480 minutes)	0,25 mm		EN ISO 374
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	> 0,31 mm		EN ISO 374
Reusable gloves	Polyvinylchloride (PVC)	6 (> 480 minutes)	0,2 mm		EN ISO 374

### Other skin protection

#### Materials for protective clothing

Condition	Material	Standard
Good resistance:	Synthetic material	EN 13034

### 8.2.2.3. Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Respiratory protection			
Device	Filter type	Condition	Standard
Reusable half mask	Type P2, Type P3	Protection for Solid particles	EN 149

### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Blue.
Odour	: characteristic.
Odour threshold	: No data available
pH	: 11.7
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: 100 °C
Flash point	: No data available

# Carclin Premax Multi

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: 23 hPa
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.095 g/cm <sup>3</sup>
Solubility	: completely miscible.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

#### Tetrasodium ethylene diamine tetraacetate (64-02-8)

LD50 oral	1780 mg/kg bodyweight
-----------	-----------------------

#### Sodium xylenesulphonate (1300-72-7)

LD50 oral	> 7000 mg/kg bodyweight
LD50 dermal	> 2000 mg/kg bodyweight

# Carclin Premax Multi

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Potassium hydroxide (1310-58-3)	
LD50 oral	333 mg/kg bodyweight
C9-11 Alcholethoxylaate (68439-46-3)	
LD50 oral rat	300 – 2000 mg/kg
LD50 dermal	2000 – 5000 mg/kg
Skin corrosion/irritation	: Causes skin irritation. pH: 11.7
Serious eye damage/irritation	: Causes serious eye damage. pH: 11.7
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Tetrasodium ethylene diamine tetraacetate (64-02-8)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

Tetrasodium ethylene diamine tetraacetate (64-02-8)	
LC50 - Fish [1]	> 121 mg/l
EC50 - Other aquatic organisms [1]	625 mg/l waterflea
EC50 - Other aquatic organisms [2]	2.77 mg/l

Sodium xylenesulphonate (1300-72-7)	
EC50 - Other aquatic organisms [1]	> 1020 mg/l waterflea

Potassium hydroxide (1310-58-3)	
LC50 - Fish [1]	80 mg/l

C9-11 Alcholethoxylaate (68439-46-3)	
LC50 - Fish [1]	1 – 10 mg/l
EC50 - Crustacea [1]	1 – 10 mg/l (Daphnia magna)
EC50 72h - Algae [1]	1 – 10 mg/l (Skeletonema costatum)

### 12.2. Persistence and degradability

No additional information available

# Carclin Premax Multi

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

### 12.3. Bioaccumulative potential

#### Tetrasodium ethylene diamine tetraacetate (64-02-8)

Partition coefficient n-octanol/water (Log Pow) : -0.43

#### Sodium xylenesulphonate (1300-72-7)

Partition coefficient n-octanol/water (Log Pow) : -3.12

#### Potassium hydroxide (1310-58-3)

Partition coefficient n-octanol/water (Log Pow) : 0.75

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## SECTION 14: Transport information

In accordance with ADR

### 14.1 UN number

UN-No. (ADR) : Not applicable

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : Not applicable

### 14.4. Packing group

Packing group (ADR) : Not applicable

### 14.5. Environmental hazards

Dangerous for the environment : No

Other information : No supplementary information available

### 14.6. Special precautions for user

#### Overland transport

No data available

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

# Carclin Premax Multi

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

##### 15.1.2. National regulations

###### Germany

Water hazard class (WGK)

: WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV)

: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

###### Netherlands

ABM category

: A(3) - hazardous for aquatic organisms, may have longterm hazardous effects in aquatic environment

SZW-lijst van kankerverwekkende stoffen

: None of the components are listed

SZW-lijst van mutagene stoffen

: None of the components are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding

: None of the components are listed

SZW-lijst van reprotoxische stoffen – Vruchtbaarheid

: None of the components are listed

SZW-lijst van reprotoxische stoffen – Ontwikkeling

: None of the components are listed

###### Switzerland

Storage class (LK)

: LK 10/12 - Liquids

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### SECTION 16: Other information

#### Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail

# Carclin Premax Multi

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

### Abbreviations and acronyms:

SDS	Safety Data Sheet
STP	Sewage treatment plant
vPvB	Very Persistent and Very Bioaccumulative

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

### Full text of H- and EUH-statements:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.