synerlogic Carclin Shampoo & Wax

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) Issue date: 1/11/2022 Revision date: 1/11/2022 Supersedes version of: 3/4/2020 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	
Product name	
UFI	

- : Mixture : Carclin Shampoo & Wax
- : 6MX0-D0DD-Q003-WCWF

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category Function or use category : Professional use

: Cleaning/washing agents and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Synerlogic B.V. Graafsingel 18-22 6921 RT Duiven Nederland T +31 (0) 26 - 3186700 PNSHEQ@synerlogic.nl

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD 2090 Msida	+356 2545 6508	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	

SECTION 2: Hazards identification

Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Serious eye damage/eye irritation, Category 1	H318
Hazardous to the aquatic environment — Chronic Hazard, Category 3	H412
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

Causes serious eye damage. Harmful to aquatic life with long lasting effects.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

	GHS05
Signal word (CLP)	: Danger
Contains	: C9-11 Alcoholethoxylaat, Esterquat, Aminen, C12-14 (even genummerd)-alkyldimethyl, N-oxiden
Hazard statements (CLP)	: H318 - Causes serious eye damage.
	H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P273 - Avoid release to the environment.
	P280 - Wear protective clothing/eye protection/face protection, protective gloves.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
	P310 - Immediately call a POISON CENTER, a doctor.
	P501 - Dispose of contents and container to hazardous or special waste collection point, in
	accordance with local, regional, national and/or international regulation.

:

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
C9-11 Alcoholethoxylaat	CAS-No.: 68439-46-3 REACH-no: Polymer	< 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Butoxydiglycol	CAS-No.: 112-34-5 EC-No.: 203-961-6 EC Index-No.: 603-096-00-8 REACH-no: 01-2119475104-44	< 5	Eye Irrit. 2, H319
Aminen, C12-14 (even genummerd)-alkyldimethyl, N- oxiden	CAS-No.: 308062-28-4 REACH-no: 01-2119490061-47	< 5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Esterquat	CAS-No.: 95009-13-5 EC-No.: 305-741-6 REACH-no: 01-2119983493-26	< 5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412
propan-2-ol; isopropyl alcohol; isopropanol	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558-25	< 5	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

Full text of H- and EUH-statements: see section 16

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact	 Remove person to fresh air and keep comfortable for breathing. Wash skin with plenty of water. Rinse eyes with water as a precaution. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Call a physician immediately. 		
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.		
4.2. Most important symptoms and effects, bot	h acute and delayed		
Symptoms/effects after eye contact	: Serious damage to eyes.		
4.3. Indication of any immediate medical attent	tion and special treatment needed		
Treat symptomatically.			
SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.		
5.2. Special hazards arising from the substance or mixture			
Hazardous decomposition products in case of fire	: Toxic fumes may be released.		

 5.3. Advice for firefighters

 Protection during firefighting
 : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
6.1.1. For non-emergency personnel			
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
6.2. Environmental precautions			
Avoid release to the environment.			

6.3. Methods and material for containment and cleaning up			
Methods for cleaning up Other information	 Take up liquid spill into absorbent material. Dispose of materials or solid residues at an authorized site. 		

6.4. Reference to other sections

For further information refer to section 13.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 7: Handling and storage				
7.1. Precautions for safe handling				
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.			
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.			
7.2. Conditions for safe storage, including any incompatibilities				
Storage conditions	: Store in a well-ventilated place. Keep cool.			
7.3. Specific end use(s)				
No additional information available				
SECTION 8: Exposure controls/personal protection				
8.1. Control parameters				
8.1.1 National occupational exposure and biolo	gical limit values			

Butoxydiglycol (112-34-5)	
Netherlands - Occupational Exposure Limits	
MAC-TGG (OEL TWA)	50 mg/m ³
MAC-15 (OEL STEL)	100 mg/m³

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Safety glasses

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses	Droplet, Fine dust, Dust	With side shields	EN 166

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Neoprene rubber (HNBR)	6 (> 480 minutes)	0,25 mm		EN ISO 374
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	> 0,31 mm		EN ISO 374
Reusable gloves	Polyvinylchloride (PVC)	6 (> 480 minutes)	0,2 mm		EN ISO 374

Other skin protection Materials for protective clothing		
Condition	Material	Standard
Good resistance:	Synthetic material	EN 13034

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Respiratory protection			
Device	Filter type	Condition	Standard
Reusable half mask	Туре Р2	Protection for Solid particles, Protection for Liquid particles	EN 149

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties	
Physical state	: Liquid
Colour	: red.
Odour	: Fresh.
Odour threshold	: No data available
рН	: 6.5
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: 100 °C

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Flash point	: >100 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: 23 hPa
Relative vapour density at 20 °C	: 0
Relative density	: No data available
Density	: 0.99
Solubility	: completely miscible.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effect	ts	
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	Not classifiedNot classifiedNot classified	
propan-2-ol; isopropyl alcohol; isopro	panol (67-63-0)	
LD50 oral rat	5840 mg/kg	

> 12800 mg/kg 72.6 mg/l/4h

LD50 dermal rabbit

LC50 Inhalation - Rat

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Butoxydiglycol (112-34-5)	
LD50 oral	5660 mg/kg bodyweight
LD50 dermal	2764 mg/kg bodyweight
LC50 Inhalation - Rat (Dust/Mist)	> 196 mg/l
C9-11 Alcoholethoxylaat (68439-46-3)	
LD50 oral rat	300 – 2000 mg/kg
LD50 dermal	2000 – 5000 mg/kg
Aminen, C12-14 (even genummerd)-alkyldimethyl, I	N-oxiden (308062-28-4)
LD50 oral rat	1064 mg/kg
LD50 dermal rat	> 2000 mg/kg
Skin corrosion/irritation :	Not classified pH: 6.5
Serious eye damage/irritation :	Causes serious eye damage.
Respiratory or skin sensitisation :	pH: 6.5 Not classified
Germ cell mutagenicity :	Not classified
Carcinogenicity :	Not classified
Reproductive toxicity :	Not classified
STOT-single exposure :	Not classified
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure :	Not classified
Aspiration hazard :	Not classified

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: Harmful to aquatic life with long lasting effects. Before neutralisation, the product may represent a danger to aquatic organisms.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Harmful to aquatic life with long lasting effects.
propan-2-ol; isopropyl alcohol; isopropanol (62	7-63-0)
LC50 - Fish [1]	1400 mg/kg (Lepomis Macrochirus)
EC50 - Crustacea [1]	2285 mg/l
Butoxydiglycol (112-34-5)	
LC50 - Fish [1]	1300 mg/l
EC50 - Other aquatic organisms [1]	> 1000 mg/l waterflea
EC50 - Other aquatic organisms [2]	> 100 mg/l

EC50 - Other aquatic organisms [2]	> 100 mg/l
C9-11 Alcoholethoxylaat (68439-46-3)	
LC50 - Fish [1]	1 – 10 mg/l
EC50 - Crustacea [1]	1 – 10 mg/l (Daphnia magna)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

C9-11 Alcoholethoxylaat (68439-46-3)	
EC50 72h - Algae [1]	1 – 10 mg/l (Skeletonema costatum)
Aminen, C12-14 (even genummerd)-alkyldimethyl,	N-oxiden (308062-28-4)
LC50 - Fish [1]	2.67 – 3.46 mg/l
EC50 - Other aquatic organisms [1]	3.1 mg/l
EC50 72h - Algae [1]	0.1428 mg/l
ErC50 algae	0.143 mg/l
NOEC chronic fish	0.42 mg/l
NOEC chronic algae	0.067 mg/l
12.2. Persistence and degradability	
Aminen, C12-14 (even genummerd)-alkyldimethyl,	N-oxiden (308062-28-4)
Persistence and degradability	Readily biodegradable.
12.3. Bioaccumulative potential	
Butoxydiglycol (112-34-5)	
Partition coefficient n-octanol/water (Log Pow)	0.56
Aminen, C12-14 (even genummerd)-alkyldimethyl,	N-oxiden (308062-28-4)
Partition coefficient n-octanol/water (Log Kow)	2.7
Bioaccumulative potential	Low bioaccumulation potential.
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Waste treatment methods :	Dispose of contents/container in accordance with licensed collector's sorting instructions.
SECTION 14: Transport information	
In accordance with ADR	
14.1 UN number	
UN-No. (ADR) :	Not applicable
14.2. UN proper shipping name	

Proper Shipping Name (ADR)

: Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

14.3. Transport hazard class(es)		
ADR Transport hazard class(es) (ADR)	: Not applicable	
14.4. Packing group		
Packing group (ADR)	: Not applicable	
14.5. Environmental hazards		
Dangerous for the environment Other information	: No : No supplementary information available	
14.6. Special precautions for user		
Overland transport		

No data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list \geq 0,1 % / SCL

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

15.1.2. National regulations

France	
Occupational diseases	
Code	Description
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

Germany

Germany		
Water hazard class (WGK)	: WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)	
Hazardous Incident Ordinance (12. BImSchV)	: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)	
Netherlands		
ABM category	: B(3) - hazardous for aquatic organisms	
SZW-lijst van reprotoxische stoffen – Borstvoeding	: None of the components are listed	
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	: None of the components are listed	
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed	
Switzerland		
Storage class (LK)	: LK 10/12 - Liquids	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information Indication of changes Section Changed item Change Comments 3.1 Composition/information on ingredients Modified Image: Comments

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC50	Median effective concentration	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
vPvB	Very Persistent and Very Bioaccumulative	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
EC-No.	European Community number	
EN	European Standard	
IARC	International Agency for Research on Cancer	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Abbreviations and acronyms:		
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
ED	Endocrine disrupting properties	

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
H225	Highly flammable liquid and vapour.	
H302	Harmful if swallowed.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	
H400	Very toxic to aquatic life.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.